# Recombinant Cynomolgus 4-1BB/TNFRSF9/CD137 Protein (Fc Tag)



Catalog Number: PKSQ050051

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Synonyms CD137;ILA;TNFRSF9;4-1BB ligand receptor;CDw137;T-cell antigen 4-1BB

homolog;T-cell antigen ILA

**Species** Cynomolgus macaques

Expression Host

Sequence

Leu24-Gln186

Accession

A9YYE7

Calculated Molecular Weight

Observed molecular weight

Tag

HEK293 Cells

Leu24-Gln186

A9YYE7

44.4 kDa

60 kDa

C-Fc

# **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

# **Background**

Tumor necrosis factor receptor superfamily member 9(TNFRSF9), also known as CD137 and 4-1BB, is an inducible T cell surface protein belonging to the tumor necrosis factor receptor superfamily. It is a single-pass type I membrane protein which contains 4 TNFR-Cys repeats. The human and mouse proteins share 60% amino acid sequence identity. CD137 is expressed by mesenchymal cells, including endothelial cells, chondrocytes, and cells of the central nervous system. CD137 is also broadly expressed by cells of the human immune system, is broadly expressed by cells of the human immune system, including activated CD8+ and CD4+ T cells, activated natural killer (NK) cells, follicular dendritic cells (FDCs) and monocytes. CD137 has diverse roles in the immune response, the one key function is to

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# Recombinant Cynomolgus 4-1BB/TNFRSF9/CD137 Protein (Fc Tag)

Catalog Number: PKSQ050051

promote the survival of both T cells and dendritic cells by binding the cognate ligand CD137L (4-1BBL).

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com