# **PCNA Polyclonal Antibody**

Catalog Number: E-AB-18205



*Note:* Centrifuge before opening to ensure complete recovery of vial contents.

# **Description**

Reactivity Human, Mouse, Rat

Immunogen Fusion protein of human PCNA

Host Rabbit
Isotype IgG

**Purification** Antigen affinity purification


Conjugation Unconjugated

**Formulation** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

# **Applications** Recommended Dilution


WB 1:500-1:2000 IHC 1:25-1:100 ELISA 1:5000-1:10000

#### Data



Western blot analysis of 293T and HEPG2 cell lysates using PCNA Polyclonal Antibody at dilution of 1:400

### Observed Mw:Refer to figures Calculated Mw:29 kDa



Immunohistochemistry of paraffin-embedded Human prost at e cancer tissue using PCNA Polyclonal Antibody at dilution of 1:35(×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using PCNA Polyclonal Antibody at dilution of 1:35(×200)

# **Preparation & Storage**

**Storage** Store at -20°C. Avoid freeze / thaw cycles.

### **Background**

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

# **PCNA Polyclonal Antibody**

Catalog Number: E-AB-18205



Proliferating Cell Nuclear Antigen, commonly known as PCNA, is a protein that acts as a processivity factor for DNA polymerase  $\delta$  in eukaryotic cells. This protein is an auxiliary protein of DNA polymerase delta and is involved in the control of eukaryotic DNA replication by increasing the polymerase's processibility during elongation of the leading strand. PCNA induces a robust stimulatory effect on the 3'-5' exonuclease and 3'-phosphodiesterase, but not apurinic-apyrimidinic (AP) endonuclease, APEX2 activities. It has to be loaded onto DNA in order to be able to stimulate APEX2. PCNA protein is highly conserved during evolution; the deduced amino acid sequences of rat and human differ by only 4 of 261 amino acids. PCNA has been used as loading control for proliferating cells.

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web: www.elabscience.com
 Email: techsupport@elabscience.com