Recombinant Human SH2D1A/SAP Protein (His Tag)

Catalog Number: PKSH031236



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms SH2 Domain-Containing Protein 1A;Duncan Disease SH2-Protein;Signaling

Lymphocytic Activation Molecule-Associated Protein;SLAM-Associated Protein;T-Cell Signal Transduction Molecule SAP;SH2D1A;DSHP;EBVS;IMD5;LYP;MTCP1

;SAP/SH2D1A;XLP;XLPD;XLPD1

SpeciesHumanExpression HostE.coli

SequencePro 2-Lys 97AccessionNP_002342.1Calculated Molecular Weight15.6 kDaObserved molecular weight14 kDaTagN-His

Bioactivity Measured by its ability to bind recombinant human SLAMF1, human SLAMF6,

mouse SLAMF6, mouse CD84 in functional ELISA.

Properties

Purity > 94 % as determined by reducing SDS-PAGE.

Endotoxin Please contact us for more information.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, pH 7.5, 20% glycerol


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 94 % as determined by reducing SDS-PAGE.

Background

SH2 domain-containing protein 1A (SH2D1A / SAP) is a 128 amino acid protein, containing a single Src homology 2 (SH2) domain, flanked by 5 amino acids at the N-terminus and 25 amino acids at the C-terminus. The absence of a catalytic domain and the presence of an SH2 domain suggest that SH2D1A regulates one or more signal transduction

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

Recombinant Human SH2D1A/SAP Protein (His Tag)

Catalog Number:PKSH031236



pathways. SH2D1A interacts with signaling lymphocytic activation molecule (SLAM), which is a transmembrane protein expressed on the surface of activated T and B cells. SH2D1A (SAP) interacts via its SH2 domain with a motif (TIYXXV) present in the cytoplasmic tail of the cell-surface receptors, including CD150 / SLAM, CD84, CD229 / Ly-9, and CD244 / 2B4. SH2D1A was expressed in EBV-carrying, tumor phenotype representative (type I), but not in EBV-carrying lymphoblastoid cell line (LCL)-like (type III) or EBV-negative Burkitt lymphoma (BL) lines. It has been supposed to be related to the X-linked lymphoproliferative disease which is also known as Duncan's disease or Purtilo syndrome.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>