# JNK1 Polyclonal Antibody

Catalog Number: E-AB-60070 2 Publications



*Note:* Centrifuge before opening to ensure complete recovery of vial contents.

## **Description**

Reactivity Human, Mouse, Rat

Recombinant fusion protein of human JNK1 (NP\_620635.1). **Immunogen** 

**Host** Rabbit **Isotype** IgG

**Purification** Affinity purification


Conjugation Unconjugated

**Formulation** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

#### **Applications Recommended Dilution**

WB 1:500-1:2000 IHC 1:100-1:200 IF 1:50-1:200

## Data




Western blot analysis of extracts of various cell lines using JNK1 Polyclonal Antibody at dilution of 1:1000.

> Observed Mw:50kDa Calculated Mw:35kDa/44kDa/48kDa



Immunohistochemistry of paraffin-embedded Human lung cancer using JNK1 Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunofluorescence analysis of HeLa cells using JNK1 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

# **Preparation & Storage**

Storage Store at -20°C. Avoid freeze / thaw cycles.

# **Background**

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# JNK1 Polyclonal Antibody

Catalog Number: E-AB-60070 2 Publications





The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported.

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com