

Recombinant p38 Monoclonal Antibody

Catalog Number:E-AB-81480



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human,Rat,Hamster
Immunogen	A synthetic peptide of human p38
Host	Rabbit
Isotype	IgG
Clone	R06-6C0
Purification	Affinity Purified
Conjugation	Unconjugated
Formulation	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% protective protein

Applications Recommended Dilution

WB 1:1000-1:2000

Data



Western blot detection of p38 in Jurkat,C6,CHO-K1,HeLa cell lysates using p38 Rabbit mAb(1:500 diluted).Predicted band size:41kDa.Observed band size:41kDa.

Observed Mw:41kDa
Calculated Mw:41kDa

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

MAPK14(mitogen-activated protein kinase 14) is also named as SAPK2A,p38MAPK,CSBP1,RK,p38,EXIP,Mxi2,CSBP2,PRKM14,PRKM15,CSPB1,p38ALPHA and belongs to the MAP kinase subfamily. MAPK14-signaling is a central pathway for the integration of instructive signals in dendritic cells for T(H)17 differentiation and inflammation. It plays an important role in the regulation of hematopoietic stem cellself-renewal in vitro and inhibition of MAPK14 activation with a small molecule inhibitor may represent a novel approach to promote ex vivo expansion of hematopoietic stem cell. This protein has 4 isoforms produced by alternative splicing.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017