# Recombinant Axin 2 Monoclonal Antibody

Catalog Number: E-AB-81534



Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Reactivity Human, Mouse, Rat

**Immunogen** A synthetic peptide of human Axin 2

Host Rabbit
Isotype IgG

Clone R06-3A8

PurificationAffinity PurifiedConjugationUnconjugated

Formulation 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and

0.05% protective protein

**Applications** Recommended Dilution

**WB** 1:500-1:1000

### Data



Western blot detection of Axin 2 in K562,C6,3T3,Hela cell lysates using Axin 2 Rabbit mAb(1:1000 diluted).Predicted band size:94kDa.Observed band size:94kDa.

Observed Mw:94kDa Calculated Mw:94kDa

## **Preparation & Storage**

**Storage** Store at -20°C. Avoid freeze / thaw cycles.

## **Background**

The Axin-related protein, Axin2, presumably plays an important role in the regulation of the stability of beta-catenin in the Wnt signaling pathway, like its rodent homologs, mouse conductin/rat axil. In mouse, conductin organizes a multiprotein complex of APC (adenomatous polyposis of the colon), beta-catenin, glycogen synthase kinase 3-beta, and conductin, which leads to the degradation of beta-catenin. Apparently, the deregulation of beta-catenin is an important event in the genesis of a number of malignancies. The AXIN2 gene has been mapped to 17q23-q24, a region that shows frequent loss of heterozygosity in breast cancer, neuroblastoma, and other tumors. Mutations in this gene have been associated with colorectal cancer with defective mismatch repair.

### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <a href="mailto:www.elabscience.com">www.elabscience.com</a>
Email: <a href="mailto:techsupport@elabscience.com">techsupport@elabscience.com</a>