NUR77 Polyclonal Antibody

Catalog Number:E-AB-93392

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity	Human,Mouse
Immunogen	A synthetic peptide of human NUR77
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Formulation	PBS with 0.05% proclin300,50% glycerol,pH7.3.

Applications — Recommended Dilution

| Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:200

Data

Western blot analysis of extracts of Mouse testis using NUR77 Polyclonal Antibody at 1:1000 dilution.
Observed Mw:64KDa
Calculated Mw:33kDa/64kDa/65kDa

Immunohistochemistry of paraffin-embedded human colon carcinoma using NUR77 Polyclonal Antibody at dilution of 1:100 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

Immunohistochemistry of paraffin-embedded human tonsil using NUR77 Polyclonal Antibody at dilution of 1:100 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

Preparation & Storage

Storage	Store at -20℃. Avoid freeze/thaw cycles.

Background

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

NUR77 Polyclonal Antibody

Catalog Number:E-AB-93392

This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. Expression is induced by phytohemagglutinin in human lymphocytes and by serum stimulation of arrested fibroblasts. The encoded protein acts as a nuclear transcription factor. Translocation of the protein from the nucleus to mitochondria induces apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine