

## Recombinant Human Interleukin-3/IL-3 Protein (Human Cells, His Tag)(Active)

Catalog No. PKS032638

### Description

<b>Synonyms</b>	Interleukin-3; IL-3; Hematopoietic Growth Factor; Mast Cell Growth Factor; MCGF; Multipotential Colony-Stimulating Factor; P-Cell-Stimulating Factor; IL3
<b>Species</b>	Human
<b>Expression_host</b>	Human Cells
<b>Sequence</b>	Ala20-Phe152
<b>Accession</b>	P08700
<b>Mol_Mass</b>	16.1 kDa
<b>AP_Mol_Mass</b>	17 kDa
<b>Tag</b>	C-6His
<b>Bio_activity</b>	Measured in a cell proliferation assay using TF-1 human erythroleukemic cells. The ED50 for this effect is 0.3-1.5 ng/ml.


### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg as determined by the LAL method.
<b>Storage</b>	Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Background

Interleukin-3 (IL-3) is a potent growth promoting cytokine. IL-3 can stimulate the proliferation and differentiation of pluripotent hematopoietic stem cells as well as various lineage committed progenitors. IL-3 exerts its biological function through binding to specific cell surface receptors. The amino acid sequences of this protein among different species share relatively low identity and its activity is highly species-specific. IL-3 has also been shown to possess neurotrophic activity, and is thought to be associated with neurologic disorders.

## SDS-PAGE



## Bioactivity

