Recombinant Human PD-L1/B7-H1/CD274 Protein (ECD,

Fc Tag)





Note: Centrifuge before opening to ensure complete recovery of vial contents.

T .	.
LIACOPT	ntion
Descri	77717

Synonyms Programmed Cell Death 1 Ligand 1;PD-L1;PDCD1 ligand 1;Programmed death

ligand 1;B7 homolog 1;B7-H1;CD274;B7H1;PDCD1L1;PDCD1LG1;PDL1

Species Human

Expression Host HEK293 Cells
Sequence Met 1-Thr 239
Accession NP_054862.1
Calculated Molecular Weight 51.7 kDa
Tag C-mFc

Bioactivity Measured by its ability to inhibit anti-CD3 antibody induced IFNγ secretion in

human T lymphocytes. The ED50 for this effect is 2-10 µg/mL.

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Programmed death-1 ligand-1 (PD-L1; CD274; B7-H1) has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance. PD-L1/B7-H1 is a member of the growing B7 family of immune molecules and this protein contains one V-like and one C-like Ig domain within the extracellular domain; and together with PD-L2; are two ligands for PD1 which belongs to the CD28/CTLA4 family expressed on activated lymphoid cells. By binding to PD1 on activated T-cells and B-cells; PD-L1 may inhibit ongoing T-cell responses by inducing apoptosis and arresting cell-cycle

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

Recombinant Human PD-L1/B7-H1/CD274 Protein (ECD, Fc Tag)



Catalog Number:PKSH030444

progression. Accordingly; it leads to growth of immunogenic tumor growth by increasing apoptosis of antigen specific T cells and may contribute to immune evasion by cancers. PD-L1 thus is regarded as promising therapeutic target for human autoimmune disease and malignant cancers.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com