

Recombinant Human CANT1 Protein (His Tag)

Catalog Number:PKSH030723



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	DBQD;SCAN-1;SCAN1;SHAPY
Species	Human
Expression Host	HEK293 Cells
Sequence	Gly 80-Ile 401
Accession	Q8WVQ1-1
Calculated Molecular Weight	38 kDa
Observed molecular weight	40 kDa
Tag	N-His

Properties

Purity	> 88 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4 Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 88 % as determined by reducing SDS-PAGE.

Background

CANT1 (calcium activated nucleotidase 1) belongs to the apyrase family. Apyrase is a calcium-activated plasma membrane-bound enzyme (magnesium can also activate it) (EC 3.6.1.5) that catalyses the hydrolysis of ATP to yield AMP and inorganic phosphate. Two isoenzymes are found in commercial preparations from *S. tuberosum*. One with a higher ratio of substrate selectivity for ATP: ADP and another with no selectivity. It can also act on ADP and other nucleoside triphosphates and diphosphates with the general reaction being $NTP \rightarrow NDP + P_i \rightarrow NMP + 2P_i$. The salivary apyrases of blood-feeding arthropods are nucleotide hydrolysing enzymes are implicated in the inhibition of host platelet aggregation through the hydrolysis of extracellular adenosine diphosphate. CANT1 functions as a calcium-dependent nucleotidase with a preference for UDP. Defects in CANT1 are the cause of desbuquois dysplasia.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017