Recombinant Human RELA/Transcription factor p65/NFkB p65 Protein (aa 1-306, GST Tag)



Catalog Number: PKSH030921

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Synonyms	NFKB3;p65		
Species	Human		
Expression Host	E.coli		
Sequence	Met 1-Tyr 306		
Accession	Q04206-1		
Calculated Molecular Weight	62.0 kDa		
Observed molecular weight	58 kDa		
Tag	N-GST		
Properties			
Purity	> 85 % as determined by reducing SDS-PAGE.		
Endotoxin	Please contact us for more information.		
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.		
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.		
Formulation	Lyophilized from sterile 20mM Tris, 0.15M NaCl, 20mM GST, pH 8.0 Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.		
Reconstitution	Please refer to the printed manual for detailed information.		
Data			

KDa	MK	R	
116	-		1
66.2	-	-	
45.0	-		
35.0	-		
25.0	-		
18.4 *** 1 4.4	abscie	nce.cor	n

> 85 % as determined by reducing SDS-PAGE.

Background

RELA (v-rel reticuloendotheliosis viral oncogene homolog A), also known as Nuclear factor NF-kappa-B p65 subunit, or Transcription factor p65, is a transcription factor expressed in growth plate chondrocytes where it facilitates chondrogenesis. The v-rel avian reticuloendotheliosis viral oncogene homolog A (RELA) gene encodes the major component of the NF-?B complex. NF-kappaB is a generic name for an evolutionarily conserved transcription-factor system that contributes to the mounting of an effective immune response but is also involved in the regulation of cell proliferation, development, and apoptosis. The implication of NF-kappaB in central biological processes and its extraordinary connectivity to other signaling pathways raise a need for highly controlled regulation of NF-kappaB activity at several levels. The mammalian Rel/NF-kappaB family of transcription factors, including RelA, c-Rel, RelB, NF-

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086

Recombinant Human RELA/Transcription factor p65/NFkB p65 Protein (aa 1-306, GST Tag)



Catalog Number:PKSH030921

kappaB1 (p50 and its precursor p105), and NF-kappaB2 (p52 and its precursor p100), plays a central role in the immune system by regulating several processes ranging from the development and survival of lymphocytes and lymphoid organs to the control of immune responses and malignant transformation.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com