



A Reliable Research Partner in Life Science and Medicine

## Recombinant Human Galectin-7/LGALS7 Protein (GST Tag)

Catalog No. PKSH030935

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## **Description**

**Synonyms** Galectin-7;Gal-7;HKL-14;PI7;p53-Induced Gene 1

Protein;LGALS7;PIG1;LGALS7B

Species Human
Expression Host E.coli

**Sequence** Ser 2-Phe 136

AccessionP47929Calculated Molecular Weight15.9 kDaObserved molecular weight18 kDaTagN-His

**Bioactivity** Measured by its ability to agglutinate human red blood cells. The ED<sub>50</sub> for this

effect is  $< 2 \mu g/mL$ .

## **Properties**

**Purity** > 98 % as determined by reducing SDS-PAGE.

**Endotoxin** < 0.1 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4.

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## **Background**

LGALS7; also known as Galectin-7; is a member of the galectins family. The galectins are a family of beta-galactoside-binding proteins. There are at least 14 identified members in this family. Galectins share similarities in the CRD (the carbohydrate recognition domain). They are synthesized as cytosolic proteins. Though localized principally in the cytoplasm and lacking a classical signal peptide; galectins can also be stimulated to secretion by non-classical pathways or alternatively targeted to the nucleus. Galectins are implicated in modulating cell-cell and cell-matrix interactions. LGALS7 contains 1 galectin domain and is mainly expressed in stratified squamous epithelium. Galectin-7 could be involved in cell-cell and/or cell-matrix interactions necessary for normal growth control. LGALS7 is a pro-apoptotic protein that functions intracellularly upstream of JNK activation and cytochrome c release.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com