# Recombinant Human TREML2/TLT2 Protein (His Tag)

Catalog Number: PKSH031041



Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Synonyms Trem-like transcript 2 protein;TLT2;Triggering receptor expressed on myeloid cells-

like protein 2;TLT2;C6orf76

Species Human

Expression Host

Sequence

Met 1-Ser 268

Accession

NP\_079083.2

Calculated Molecular Weight

Observed molecular weight

Tag

HEK293 Cells

Met 1-Ser 268

NP\_079083.2

28.5 kDa

55-60 kDa

C-His

## **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

### **Background**

Trem-like transcript 2 protein, also known as Triggering receptor expressed on myeloid cells-like protein 2, TREML2 and TLT2, is a single-pass type I membrane protein which contains oneIg-like V-type (immunoglobulin-like) domain. TREML2 is detected in cultured B cells, T cell leukemia and monocyte leukemia. TREML2 is expressed constitutively on CD8 T-cells and induced on CD4 T-cells after activation. TREML2 is a cell surface receptor that may play a role in the innate and adaptive immune response. TREML2 acts as a counter-receptor for CD276 and interaction with CD276 on T-cells enhances T-cell activation. Murine B7-H3 specifically bound to Triggering receptor expressed on myeloid cells (TREM)-like transcript 2 (TLT-2, TREML2). TREML2 was expressed on CD8(+) T cells constitutively and on activated

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# **Recombinant Human TREML2/TLT2 Protein (His Tag)**

Catalog Number:PKSH031041



CD4(+) T cells. Stimulation with B7-H3 transfectants preferentially up-regulated the proliferation and IFN-gamma production of CD8(+) T cells. Transduction of TREML2 into T cells resulted in enhanced IL-2 and IFN-gamma production via interactions with B7-H3. There maybe a direct interaction between B7-H3 and TREML2 that preferentially enhances CD8(+) T cell activation.

### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com