

Recombinant Human APE1/APE Protein

Catalog Number:PKSH032090



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	DNA-(Apurinic or Apyrimidinic Site) Lyase;APEX Nuclease;APEN;Apurinic-Apyrimidinic Endonuclease 1;AP Endonuclease 1;APE-1REF-1;Redox Factor-1;APEX1;APE;APE1;APEX;APX;HAP1;REF1
Species	Human
Expression Host	E.coli
Sequence	Pro2-Leu318
Accession	AAH02338.1
Calculated Molecular Weight	35.6 kDa
Observed molecular weight	40 kDa
Tag	None

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < -20°C.
Formulation	Supplied as a 0.2 µm filtered solution of 10mM HEPES, 100mM KCl, 50% Glycerol, pH 7.4.
Reconstitution	Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Apurinic-Apyrimidinic Endonuclease 1 (APE1) is required for efficient DNA base excision repair. When the DNA glycosylase remove the damaged bases; APE1 cleaves the AP site to allow resynthesis and ligation to complete repair. APE1 stimulates the DNA binding activity of many transcription factors; which participate in cancer promotion and progression. APE1 regulates the redox state of multiple transcription factors; such as c-Jun; c-Fos; NF-kB; p53. APEN is also involved in calcium-dependent down-regulation of PTH expression.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017