Catalog Number: PKSH032439



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Synonyms	Fibroblast growth factor 2;FGF-2;Basic fibroblast growth factor;bFGF;Heparin- binding growth factor 2;HBGF-2
Species	Human
Expression Host	E.coli
Sequence	Pro143-Ser288
Accession	P09038-4
Calculated Molecular Weight	16.3 kDa
Observed molecular weight	17 kDa
Tag	None
Bioactivity	Measured in a cell proliferation assay using BALB/c 3T3 cells. The ED50 for this effect is 0.3-2.0 ng/ml.
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 0.01 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM Tris-HCl, 100mM NaCl, 0.02% Tween80, pH7.5. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer informatio
Reconstitution	Please refer to the printed manual for detailed information.
Data	

> 95 % as determined by reducing SDS-PAGE.

## Background

FGF-basic is a members of the Fibroblast Growth Factors (FGFs) family. The family constitutes a large family of proteins involved in many aspects of development including cell proliferation; growth; and differentiation. They act on several cell types to regulate diverse physiologic functions including angiogenesis; cell growth; pattern formation; embryonic development; metabolic regulation; cell migration; neurotrophic effects; and tissue repair. FGF-basic is a non-glycosylated

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Recombinant Human FGF-2/FGFb Protein (aa 143-288)

Catalog Number: PKSH032439



heparin binding growth factor that is expressed in the brain; pituitary; kidney; retina; bone; testis; adrenal gland liver; monocytes; epithelial cells and endothelial cells.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com