

Recombinant Human FGF-9/FGF9 Protein

Catalog No. PKSH032449

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	Fibroblast Growth Factor 9;FGF-9;Glia-Activating Factor;GAF;Heparin-Binding Growth Factor 9;HBGF-9;FGF9
Species	Human
Expression Host	E.coli
Sequence	Pro 3-Ser 208
Accession	P31371
Calculated Molecular Weight	22.1 kDa
Observed molecular weight	24 kDa
Tag	C-His
Bioactivity	Measure by its ability to induce 3T3 cells proliferation. The ED ₅₀ for this effect is < 2 ng/mL.

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 0.1 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

For Research Use Only

Fibroblast Growth Factor 9 (FGF-9) belongs to the Fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. FGF-9 plays an important role in the regulation of embryonic development, cell proliferation, cell differentiation and cell migration. In addition, FGF-9 may have a role in glial cell growth and differentiation during development, gliosis during repair and regeneration of brain tissue after damage, differentiation and survival of neuronal cells, and growth stimulation of glial tumors.