Recombinant Human TSTA3/SDR4E1 Protein (His Tag)

Catalog Number: PKSH032483



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms GDP-L-Fucose Synthase; GDP-4-Keto-6-Deoxy-D-

Mannose-3;5-Epimerase-4-Reductase;Protein FX;Red Cell NADP(H)-Binding

Protein; Short-Chain Dehydrogenase/Reductase Family 4E Member

1;TSTA3;SDR4E1

Species Human
Expression Host E.coli

SequenceMet 1-Lys321AccessionQ13630Calculated Molecular Weight37.0 kDaObserved molecular weight40 kDaTagC-His

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Storage Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.


Shipping This product is provided as liquid. It is shipped at frozen temperature with blue

ice/gel packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0.

Reconstitution Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

GDP-L-Fucose Synthase is a NADP(H)-binding protein. It catalyzes the two-step epimerase and the reductase reactions in GDP-D-mannose metabolism, converting GDP-4-keto-6-D-dexoymannose to GDP-L-fucose. GDP-L-Fucose is the substrate of several fucosyltransferase, involving the expression of mamy glycoconjugates, including blood group ABH antigens and development adhesion antigens. Mutations in the TSTA3 gene may cause leukocyte adhesion deficiency type II.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com
Email: techsupport@elabscience.com