# Recombinant Human IFNAR1/IFNAR Protein (His Tag)

Catalog Number: PKSH032604



Note: Centrifuge before opening to ensure complete recovery of vial contents.

# **Description**

Synonyms Interferon Alpha/Beta Receptor 1;IFN-R-1;IFN-Alpha/Beta Receptor 1;Cytokine

Receptor Class-II Member 1;Cytokine Receptor Family 2 Member 1;CRF2-1;Type

I Interferon Receptor 1;IFNAR1;IFNAR;AVP;IFN-alpha-REC

Species Human

Expression Host HEK293 Cells
Sequence Lys28-Lys436

AccessionP17181Calculated Molecular Weight48.2 kDaObserved molecular weight70-120 kDaTagC-His

# **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed man

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

#### **Background**

The Interferon- $\alpha/\beta$  Receptor 1 (IFN- $\alpha/\beta$  R1) is a receptor which binds Type I Interferons including Interferon- $\alpha$  and - $\beta$ . It is a cell surface receptor and heteromeric receptor composed of one chain with two subunits referred to as IFNAR1 and IFNAR2. IFN- $\alpha/\beta$  R1, in association with IFN- $\alpha/\beta$  R2, is required for propagating antiviral signal transduction triggered by IFN- $\alpha$  and IFN- $\alpha/\beta$  R1 interacts very weakly or not at all with type 1 interferons and does not stably interact with IFN- $\alpha/\beta$  R2. Ligands associate with IFN- $\alpha/\beta$  R2, and this complex subsequently forms a stable ternary assembly with IFN- $\alpha/\beta$  R1 also associates with IFN- $\gamma$  R2 even in the absence of IFN- $\gamma$  stimulation. Human IFN- $\alpha/\beta$  R1

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

# Recombinant Human IFNAR1/IFNAR Protein (His Tag)

Catalog Number:PKSH032604



contains a nuclear localization signal in its extracellular domain that is required for receptor translocation to the nucleus following interaction with ligand. Interferon stimulation results in an immunologic response that is especially associated with viruses.

# For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>