

# Recombinant Human N-Glycosylase/OGG1 Protein

Catalog Number:PKSH032809



**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

<b>Synonyms</b>	N-Glycosylase/DNA Lyase;8-Oxoguanine DNA Glycosylase;DNA-(Apurinic or Apyrimidinic Site) Lyase;AP Lyase;OGG1;MMH;MUTM;OGH1
<b>Species</b>	Human
<b>Expression Host</b>	E.coli
<b>Sequence</b>	Met 1-Gly345
<b>Accession</b>	AAH00657.1
<b>Calculated Molecular Weight</b>	38.8 kDa
<b>Observed molecular weight</b>	38 kDa
<b>Tag</b>	None

## Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
<b>Shipping</b>	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < - 20°C.
<b>Formulation</b>	Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, 1mM EDTA, pH 8.5.
<b>Reconstitution</b>	Not Applicable

## Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Human N-Glycosylase/DNA Lyase(OOG1) is a DNA repair enzyme, which belongs to the type-1 OGG1 family. OOG1 incises DNA at 8-oxoG residues, and excises 7,8-dihydro-8-oxoguanine and 2,6-diamino-4-hydroxy-5-N-methylformamidopyrimidine (FAPY) from damage DNA. It has a  $\beta$ -lyase activity that nicks DNA 3' to the lesion. OOG1 together with APEX1 is recruited to nuclear speckles in UVA-irradiated cells. The OGG1 gene mutations may be caused Renal cell carcinoma.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017