A Reliable Research Partner in Life Science and Medicine

Recombinant Human NFYA Protein (GST Tag)

Catalog No. PKSH032825

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms Nuclear Transcription Factor Y Subunit Alpha; CAAT Box DNA-Binding Protein

Subunit A;Nuclear Transcription Factor Y Subunit A;NF-YA;NFYA

Species Human Expression Host E.coli

SequenceMet 1-Ser318AccessionP23511-2Calculated Molecular Weight60.6 kDaObserved molecular weight55 kDaTagN-GST

Bioactivity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per μg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.


Formulation Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.2. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



>95~% as determined by reducing SDS-PAGE.

Background

Nuclear Transcription Factor Y Subunit α (NFYA) is a member of the NFYA/HAP2 subunit family. NFYA founctions as

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com

Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

a heterotrimeric transcription factor; which is composed of three components; NF-YA; NF-YB and NF-YC; binds to CCAAT motifs in the promoter regions in a variety of genes. NFYA forms a highly conserved transcription factor which stimulates the transcription of various genes by recognizing and binding to a CCAAT motif in promoters; for example in type 1 collagen; albumin and beta-actin genes.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com