# **Recombinant Human ERP57/PDIA3 Protein (His Tag)**

Catalog Number: PKSH032955



Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Synonyms PDIA3 protein;Protein disulfide-isomerase A3;58 kDa glucose-regulated

protein; Disulfide isomerase ER-60; ER protein 57

Species Human

**Expression Host** HEK293 Cells **Sequence** Ser25-Leu505

AccessionP30101Calculated Molecular Weight55.3 kDaObserved molecular weight60 kDaTagC-His

## **Properties**

**Purity** > 85 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Store at  $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles.

**Shipping** This product is provided as liquid. It is shipped at frozen temperature with blue


ice/gel packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, 10%

Glycerol, pH 7.5.

**Reconstitution** Not Applicable

### Data



> 85 % as determined by reducing SDS-PAGE.

## **Background**

PDIA3 protein is also known as Protein disulfide-isomerase A3. It is a protein that in humans is encoded by the PDIA3 gene.PDIA3 is an enzyme that belongs to the endoplasmic reticulum and interacts with lectin chaperones calreticulin and calnexin to modulate folding of newly synthesized glycoproteins. PDIA3 interacts with thiazide-sensitive sodium-chloride cotransporter in the kidney and is induced by glucose deprivation. PDIA3 is part of the major histocompatibility complex (MHC) class I peptide-loading complex (TAP1), which is important for formation of the final antigen conformation and export from the endoplasmic reticulum to the cell surface.

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com