Recombinant Human SIAE Protein (Human Cells, His Tag)

Catalog Number: PKSH033053



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms Sialate O-Acetylesterase;H-Lse;Sialic Acid-Specific 9-O-

Acetylesterase;SIAE;YSG2;AIS6;CSE-C;CSEC

Species Human

Expression Host

Sequence

Ile24-Lys523

Accession

Q9HAT2

Calculated Molecular Weight

Observed molecular weight

Tag

HEK293 Cells

Ile24-Lys523

C9HAT2

57.0 kDa

55-80 kDa

C-His

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Store at $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles.

Shipping This product is provided as liquid. It is shipped at frozen temperature with blue


ice/gel packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, 10%

Glycerol, pH 7.5.

Reconstitution Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Sialate O-Acetylesterase (SIAE) belongs to the family of hydrolases, specifically those acting on carboxylic ester bonds. SIAE is widely expressed with high expression levels in the testis, prostate, and colon. SIAE catalyzes N-acetyl-O-acetylneuraminate and H2O to N-acetylneuraminate and acetate. SIAE removes O-acetyl ester groups from position 9 of the parent sialic acid, N-acetylneuraminic acid. SIAE down-regulates B lymphocyte antigen receptor signaling (involving CD22), and is required for immunological tolerance. Loss of function mutations in SIAE are much more frequently found in humans with autoimmune diseases especially rheumatoid arthritis and type 1 diabetes.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com