A Reliable Research Partner in Life Science and Medicine

Recombinant Human UBAP1 Protein (His Tag)

Catalog No. PKSH033178

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms Ubiquitin-Associated Protein 1;UBAP-1;Nasopharyngeal Carcinoma-Associated

Gene 20 Protein; UBAP1

SpeciesHumanExpression HostE.coli

SequenceMet 1-Ser502AccessionQ9NZ09Calculated Molecular Weight56.2 kDaObserved molecular weight60 kDaTagC-His

Bioactivity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per μg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, 1mM

DTT, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

Ubiquitin-Associated Protein 1 (UBAP1) belongs to the UBA domain family. Members of this family are related to ubiquitin and the ubiquitination pathway. Because of their cytogenetic location, this UBA domain family member is being studied as a putative target for mutation in nasopharyngeal carcinomas. UBAP1 is highly expressed in the heart, brain, placenta, lung, skeletal muscle, liver, and pancreas. UBAP1 consists of two UBA domains and one UMA domain. The ubiquitin associated domain is throught to be a non-covalent ubiquitin binding domain, including a compact three helix bundle.

For Research Use Only

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web: www.elabscience.com
 Email: techsupport@elabscience.com