

# Recombinant Mouse MD1 Protein (His Tag)

Catalog Number:PKSM040948



**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

<b>Synonyms</b>	MD-1;MD1
<b>Species</b>	Mouse
<b>Expression Host</b>	HEK293 Cells
<b>Sequence</b>	Met 1-Ser 162
<b>Accession</b>	NP_034875.1
<b>Calculated Molecular Weight</b>	18.0 kDa
<b>Observed molecular weight</b>	24-30 kDa
<b>Tag</b>	C-His

## Properties

<b>Purity</b>	> 92 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4 Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

## Data



> 92 % as determined by reducing SDS-PAGE.

## Background

MD-1 and MD-2 are secretory glycoproteins that exist on the cell surface in complexes with transmembrane proteins. MD-1 is anchored by radioprotective 105 (RP105) which is a molecule containing leucine-rich repeats and is expressed on B cells, dendritic cells and macrophages, while MD-2 is associated with TLR4. MD-1 is required for efficient RP105 cell surface expression and function. It is indicated that the RP105/MD1 complex, in conjunction with TLR4, mediates the innate immune response to LPS in B cells, and also plays a role in protecting against apoptosis, B-cell proliferation, etc. Mouse MD-1 cDNA encodes a 162 amino acid precursor protein with a putative 19 aa signal peptide and two potential N-linked glycosylation sites. It shares 40% and 66% amino acid sequence identity with chicken and human MD-1 respectively. MD-1 is mainly expressed in spleen, and also detectable in liver, brain, thymus, and kidney.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017