Recombinant Mouse Ephrin-B1/EFNB1 Protein (Fc & His Tag)

Catalog No. PKSM041011

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Synonyms	Ephrin-B1;EFL-3;ELK ligand;ELK-L;EPH-related receptor tyrosine kinase ligand 2;LERK-2;EFNB1;EFL3;EPLG2;LERK2
Species	Mouse
Expression Host	HEK293 Cells
Sequence	Lys30-Ser229
Accession	P52795
Calculated Molecular Weight	49.8 kDa
Observed molecular weight	58-80 kDa
Tag	C-Fc-His
Bioactivity	Not validated for activity
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per μ g of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM Citrate, 10% Trehalose, 50mM NaCl, 0.05% Tween 80, pH4.5. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	



> 95 % as determined by reducing SDS-PAGE.

Background

For Research Use Only

Elabscience®

Mouse Ephrin-B1 is a single-pass type I membrane protein which belongs to the ephrin family. It contains an ephrin RBD (ephrin receptor-binding) domain, and expressed in heart, placenta, lung, liver, skeletal muscle, kidney and pancreas. Ephrin-B1 is cell surface transmembrane ligand for Eph receptors, a family of receptor tyrosine kinases which are crucial for migration, repulsion and adhesion during neuronal, vascular and epithelial development. It binds promiscuously Eph receptors residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. It may play a role in cell adhesion and function in the development or maintenance of the nervous system.

For Research Use Only