# Recombinant Mouse Thrombopoietin/TPO Protein (His

# Tag)

#### Catalog Number: PKSM041156



Note: Centrifuge before opening to ensure complete recovery of vial contents.

<b>D</b> •	<b>.</b>
LIACOPT	ntion
Descri	

Synonyms Thrombopoietin; C-mpl ligand; Megakaryocyte colony-stimulating

factor;Megakaryocyte growth and development factor;Myeloproliferative leukemia

virus oncogene ligand;THPO

**Species** Mouse

Expression Host HEK293 Cells
Sequence Ser22-Thr356
Accession P40226
Calculated Molecular Weight 36.4 kDa
Observed molecular weight 65-105 kDa
N-His

#### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 μm filtered solution of PBS, 2mM EDTA, pH 7.4.


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 95 % as determined by reducing SDS-PAGE.

### **Background**

Thrombopoietin (TPO) is a glycoprotein hormone which belongs to the EPO/TPO family. It produced by the liver and kidney which regulates the production of platelets. Mature mouse Tpo shares 71% and 81% aa sequence homology with human and rat Tpo, respectively. It is an 80-85 kDa protein that consists of an N-terminal domain with homology to Erythropoietin (Epo) and a C-terminal domain that contains multiple N-linked and O-linked glycosylation sites. TPO stimulates the production and differentiation of megakaryocytes, the bone marrow cells that bud off large numbers of platelets. Lineage-specific cytokine affects the proliferation and maturation of megakaryocytes from their committed

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

# **Recombinant Mouse Thrombopoietin/TPO Protein (His** Tag)



Catalog Number:PKSM041156

progenitor cells. It acts at a late stage of megakaryocyte development. It may be the major physiological regulator of circulating platelets.

## For Research Use Only

Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com