

Fax: 1-832-243-6017



A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Mouse CD210/IL-10R Antibody[1B1.3A]

Catalog No. E-AB-F1036A Reactivity Mouse Storage Store at 2~8°C, Avoid freeze / thaw cycles **Applications FCM** 

**Important Note:** Centrifuge before opening to ensure complete recovery of vial contents.

### **Antigen Information**

**Alternate Names** Interleukin-10 receptor subunit alpha,II10ra,IL-10 receptor subunit alpha,IL-10R subunit

alpha,IL-10RA,CDw210a,Interleukin-10 receptor subunit 1,IL-10R subunit

1,IL-10R1,CD210,Il10ra

**Uniprot ID** Q61727

**Background** CD210 is a 90-110 kD IL-10 receptor. It is a class II cytokine receptor expressed on thymocytes,

> T cells, B cells, NK cells, monocytes and macrophages. Ligand binding of CD210 induces Jak1 and Tyk, resulting in STAT1 and STAT3 activation. IL-10 receptor stimulation results in the inhibition of cytokine production and the costimulation of B cell proliferation and differentiation.

The only known ligand for this receptor is IL-10.

#### **Product Details**

**Form** Liquid Concentration 0.5 mg/mL $25 \mu g / 100 \mu g$ Size Clone No. 1B1.3A Host Rat Rat IgG1, κ **Isotype** Reactivity Mouse **Application FCM** 

**Isotype Control** Purified Rat IgG1, κ Isotype Control[HRPN] [Product E-AB-F09823A] **Storage Buffer** Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer.

**Shipping** Biological ice pack at 4 °C Stability & Storage Keep as concentrated solution. Store at 2~8°C. Do not freeze.

This product is guaranteed up to one year from purchase.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Email: techsupport@elabscience.com Web: www.elabscience.com

#### **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

## **Recommended usage**

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.25 \,\mu g$  per  $10^6$  cells in 100  $\mu L$  volume or 100  $\mu L$  of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

### **Related Information**

- 1. Sample Preparation for Flow Cytometry <a href="https://www.elabscience.com/List-detail-5594.html">https://www.elabscience.com/List-detail-5594.html</a>
- 2. Staining Cell Surface Targets for Flow Cytometry <a href="https://www.elabscience.com/List-detail-5568.html">https://www.elabscience.com/List-detail-5568.html</a>
- 3. Flow Cytometry Troubleshooting Tips <a href="https://www.elabscience.com/List-detail-5593.html">https://www.elabscience.com/List-detail-5593.html</a>
- 4. How to select the appropriate detection channel through the spectrogram? https://www.elabscience.com/Listdetail-459742.html

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com

Fax: 1-832-243-6017