

Recombinant Human COQ7 Protein (His Tag)

Catalog No. PKSH033339

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	Ubiquinone Biosynthesis Protein COQ7 Homolog;Coenzyme Q Biosynthesis Protein 7 Homolog;Timing Protein Clk-1 Homolog;COQ7;CAT5;CLK-1;CLK1
Species	Human
Expression Host	HEK293 Cells
Sequence	Ser37-Leu217
Accession	Q99807
Calculated Molecular Weight	21.3 kDa
Observed molecular weight	18-29 kDa
Tag	C-His
Bioactivity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Ubiquinone Biosynthesis Protein COQ7 Homolog (COQ7) is a mitochondrion inner membrane and peripheral membrane

For Research Use Only

protein which belongs to the COQ7 family. It is expressed dominantly in heart and skeletal muscle. COQ7 is synthesized as a preprotein that is imported into the mitochondrial matrix, where the sequence is cleaved off and the mature protein becomes loosely associated with the inner membrane. COQ7 is involved in lifespan determination in ubiquinone-independent manner and also involved in ubiquinone biosynthesis. COQ7 is potential central metabolic regulator. Human COQ7 protein contains 179 amino acids, is mostly helical, and contains an alpha-helical membrane insertion. It has been shown that mutations in the gene are associated with increased life span. Defects of the gene slow down a variety of developmental and physiological processes, including the cell cycle, embryogenesis, post-embryonic growth, rhythmic behaviors and aging.