

Recombinant Human BMPR2 Protein (His Tag)

Catalog No. PKSH033411

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	BMPR-II;BMPR3;BMR2;BRK-3;POVD1;PPH1;T-ALK
Species	Human
Expression Host	HEK293 Cells
Sequence	Ser27-Ile151
Accession	Q13873
Calculated Molecular Weight	15.1 kDa
Observed molecular weight	28-40 kDa
Tag	C-His
Bioactivity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Bone Morphogenetic Protein Receptor II (BMPR-II) is a Type II Serine/Threonine Kinase that mediates cellular responses to BMPs. BMPR-II is characterized by lacking of a GS domain, and presence of a C-terminal extension typical

For Research Use Only

of type II receptors. BMPRII binds BMP2, BMP4 and BMP7 weakly in the absence of type I receptor, and the binding can be facilitated by the presence of the type I receptor, including BMPRI-IA/Brk1, BMPRI-IB, and ActRI. BMPRII plays a key role in cell growth. Defects in BMPRII have been linked to primary pulmonary hypertension. Human and mouse BMPRII are highly conserved and share 97 % amino acid sequence identity.