

A Reliable Research Partner in Life Science and Medicine

Recombinant Human Cyclophilin A Protein

Catalog No. PKSH033420

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms Peptidyl-prolyl cis-trans isomerase A;PPIase A;Cyclophilin A;Cyclosporin A-

binding protein;Rotamase A;SP18;PPIA;CYPA

Species Human **Expression Host** E.coli

Sequence Met 1-Glu165

P62937 Accession Calculated Molecular Weight 18.0 kDa Observed molecular weight 16 kDa Tag None

Bioactivity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.


Shipping This product is provided as liquid. It is shipped at frozen temperature with blue

ice/gel packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of PBS, 10% Glycerol, pH 7.4.

Reconstitution Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Peptidyl-prolyl cis-trans isomerase A is a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family; which catalyzes the cis-trans isomerization of proline imidic peptide bonds. Cyclophilin A regulate many biological processes; including intracellular signaling; transcription; inflammation; and apoptosis. Cyclophilin is also incorporated into many viruses; including HIV1; where it has been speculated to be involved in functions such as viral assembly and infectivity. The immunosuppressive activity of cyclosporins has been correlated with their ability to form complexes with

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com

Elabscience Bionovation Inc.



A Reliable Research Partner in Life Science and Medicine

cyclophilins that inhibit calcineurin phosphatase activity and prevent incorporation of cyclophilin into viral particles. The cyclosporin/cyclophilin complex selectively binds and inactivates calcineurin; making it a useful inhibitor for studying calcineurin activity.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com