



A Reliable Research Partner in Life Science and Medicine

AF/LE Purified Anti-Mouse CD366/Tim-3 Antibody[RMT3-23]

Catalog No. E-AB-F11920 Reactivity Mouse Storage Store at 2~8°C, Avoid freeze / thaw cycles **Applications** FCM.Block

Important Note: Centrifuge before opening to ensure complete recovery of vial contents.

Antigen Information

Alternate Names TIM3, TIMD3, HAVcr-2, TIMD-3

Uniprot ID Q8VIM0

Background CD366 (Tim-3) is a transmembrane protein also known as T cell immunoglobulin and mucin

> domain containing protein-3. Tim-3 is expressed at high levels on activated T cells (preferentially on Th1 cells, monocytes/macrophages, and dendritic cells). Tim-3 has also been shown to exist as a soluble protein. Cells expressing Tim-3 are present at high levels in the CNS of animals at the onset of experimental autoimmune encephalomyelitis (EAE), a disease mediated by lymphocytes

secreting Th1-like cytokines. Tim-3 has been proposed to inhibit Th1-mediated immune

responses and promote immunological tolerance.

Product Details

Form Liquid Concentration 0.5 mg/mL50μg/500μg/1mg Size

Clone No. RMT3-23 Host Rat

Rat IgG2a, κ **Isotype** Reactivity Mouse **Application** FCM,Block

AF/LE Purified Rat IgG2a, κ Isotype Control[2A3] [Product E-AB-F098330] **Isotype Control**

0.2 µm filtered in PBS, pH 7.2. Azide Free (AF)/Low Endotoxin (LE): Contains no stabilizers or **Storage Buffer**

stabilizers. Endotoxin level is < 2 EU/mg as Determined by LAL gel clotting assay.

Shipping Biological ice pack at 4 °C

Stability & Storage Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light.Do not freeze.

This product is guaranteed up to one year from purchase.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com

Email: techsupport@elabscience.com





A Reliable Research Partner in Life Science and Medicine

Fluorophore

Conjugation: None (Purified antibody-Azide Free/Low endotoxin)

Recommended usage

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 2.0 \,\mu g$ per 10^6 cells in $100 \,\mu L$ volume or $100 \,\mu L$ of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Related Information

- 1. Sample Preparation for Flow Cytometry https://www.elabscience.com/List-detail-5594.html
- 2. Staining Cell Surface Targets for Flow Cytometry https://www.elabscience.com/List-detail-5568.html
- 3. Flow Cytometry Troubleshooting Tips https://www.elabscience.com/List-detail-5593.html
- 4. How to select the appropriate detection channel through the spectrogram? https://www.elabscience.com/Listdetail-459742.html

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com

Fax: 1-832-243-6017