# **Elabscience**®

# PerCP/Cyanine5.5 Anti-Rat CD90/Mouse CD90.1 Antibody[OX-7]

Catalog No.E-AB-F1226JStorageStore at 2~8°C, Avoid freeze / thaw cycles

ReactivityMouse,RatApplicationsFCM

Important Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Antigen Information**

Alternate Names	Rat Thy-1, Mouse Thy-1.1
Uniprot ID	P01830
Background	CD90, also known as Thy-1, is a 28-30 kD GPI-linked membrane glycoprotein. It is a member of
	the immunoglobulin superfamily and has been shown to interact with CD45 in signal transduction
	during lymphocyte proliferation and differentiation. CD90 is expressed on hematopoietic stem
	cells, neurons, thymocytes, peripheral T cells, fibroblasts, stromal cells.

# **Product Details**

Form	Liquid
Size	50Tests/100Tests/100Tests×2
Clone No.	OX-7
Host	Mouse
Isotype	Mouse IgG1, ĸ
Reactivity	Mouse,Rat
Application	FCM
Isotype Control	PerCP/Cyanine5.5 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792J]
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.
Shipping	Biological ice pack at 4 °C
Stability & Storage	Keep as concentrated solution.
	Store at 2~8°C and protected from prolonged exposure to light.Do not freeze.
	This product is guaranteed up to one year from purchase.

**For Research Use Only** 

# **Elabscience**®

# Fluorophore


#### Conjugation: PerCP/Cyanine5.5

PerCP/Cyanine5.5 is designed to be excited by the blue laser (488 nm) and detected using an optical filter centered near 675 nm (e.g., a 690/50 nm bandpass filter).

### **Recommended usage**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

# **Product data**



Rat thymocytes are stained with PerCP/Cyanine5.5 Anti-Rat CD90/Mouse CD90.1 Antibody (filled gray histogram). Unstained thymocytes (empty black histogram) are used as control.

# **Related Information**

- 1. Sample Preparation for Flow Cytometry <u>https://www.elabscience.com/List-detail-5594.html</u>
- 2. Staining Cell Surface Targets for Flow Cytometry https://www.elabscience.com/List-detail-5568.html
- 3. Flow Cytometry Troubleshooting Tips https://www.elabscience.com/List-detail-5593.html
- 4. How to select the appropriate detection channel through the spectrogram? <u>https://www.elabscience.com/List-detail-459742.html</u>