Recombinant Human MERTK/MER Protein (His Tag)

Catalog Number: PKSH033481



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description Synonyms Species Expression Host Sequence Accession	Tyrosine-protein kinase Mer;Proto-oncogene c-Mer;Receptor tyrosine kinase MerTK;MERTK;MER;Mer Human HEK293 Cells Met1-Ala323
Expression Host Sequence	HEK293 Cells
Sequence	
-	Met1 A12222
Accession	MIGUT-MIAJ2J
	Q1RMG3
Calculated Molecular Weight	36.0 kDa
Observed molecular weight	60-120 kDa
Tag	C-His
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per μ g of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the print
Reconstitution	Please refer to the printed manual for detailed information.
Data	

> 95 % as determined by reducing SDS-PAGE.

20

Background

Tyrosine-protein kinase Mer (MERTK) is a single-pass type I membrane protein which belongs to the MER/AXL/TYRO3 receptor kinase family. MERTK include two fibronectin type-III domains; two Ig-like C2-type domains; and one tyrosine kinase domain. It can't be expressed in normal B- and T-lymphocytes; but it is usually expressed in numerous neoplastic B- and T-cell lines. MERTK could regulate many physiological processes; such as cell survival; migration; differentiation. It was demonstrated that the MERTK plays critical role in the engulfment and efficient clearance of apoptotic cells; platelet aggregation; and cytoskeleton reorganization. Not only these; it also plays an

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Catalog Number:PKSH033481



important role in inhibition of Toll-like receptors (TLRs)-mediated innate immune response by activating STAT1; which selectively induces production of suppressors of cytokine signaling SOCS1 and SOCS3. In addition; MERTK could regulate rod outer segments fragments phagocytosis in the retinal pigment epithelium (RPE); deficiency in MERTK are the cause of retinitis pigmentosa.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com