
## **Recombinant Human NPTX1 Protein (His Tag)**

### Catalog No. PKSH033580

*Note:* Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Synonyms	Neuronal pentraxin-1;NPTX1;NP1
Species	Human
Expression Host	HEK293 Cells
Sequence	Gln23-Asn432
Accession	Q15818
Calculated Molecular Weight	45.9 kDa
Observed molecular weight	50-55 kDa
Tag	C-His
Bioactivity	Not validated for activity
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per $\mu$ g of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, 1mM EDTA, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Neuronal Pentraxin (NPTX1, NP1) is a secreted glycoprotein within the Pentraxin family. NPTX1 is co-expressed and forms heteromultimers with the related secreted protein, NPTX2/NARP, NPTXR (Neuronal Pentraxin Receptor) at

### **For Research Use Only**

Toll-free: 1-888-852-8623 Web: <u>www.elabscience.com</u> Tel: 1-832-243-6086 Email: <u>techsupport@elabscience.com</u>

# **Elabscience**®

excitatory synapses. Mature human NPTX1 shares 97% aa sequence identity with mouse, and rat NPTX1. It is produced by hippocampal, cerebral and cerebellar neurons, retinal ganglia and the inner nuclear layer of the retina. It is enriched on presynaptic axonal membranes where it forms complexes with NPTXR. It may be involved in mediating uptake of synaptic material during synapse remodeling or in mediating the synaptic clustering of AMPA glutamate receptors at a subset of excitatory synapses.

For Research Use Only