
Recombinant Human Dectin-1/CLEC7A Protein (Fc Tag)

Catalog Number: PKSH033706



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Synonyms	Beta-glucan receptor;BGR;CD369;CLEC7A;CLECSF12;CLECSF12DC-associated C-type lectin 1;Dectin1;Dectin-1;DECTIN1CANDF4;CANDF4;DECTIN1
Species	Human
Expression Host	HEK293 Cells
Sequence	Thr66-Met247
Accession	Q9BXN2
Calculated Molecular Weight	46.9 kDa
Observed molecular weight	50-65 kDa
Tag	N-Fc
Properties	
Purity	> 85 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per μ g of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	



> 85 % as determined by reducing SDS-PAGE.

Background

Dectin-1 was recently identified as the most important receptor for beta-glucan. It is a type II transmembrane protein which binds beta-1,3 and beta-1,6 glucans, and is expressed on most cells of the innate immune system and has been implicated in phagocytosis as well as killing of fungi by macrophages, neutrophils and dendritic cells. Recognition of beta-glucan by dectin-1 triggers effective immune response, including phagocytosis and proinflammatory factor production, to eliminate infecting fungi, which especially benefits immunocompromised patients against opportunistic fungal infection.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine