Recombinant Mouse CD38 Protein (His Tag)

Catalog Number: PKSM041365



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms cADPr hydrolase 1;CD38 antigen (p45);CD38 antigen;CD38 molecule;CD38;Cyclic

ADP-ribose hydrolase 1;Cyclic ADP-ribose Hydrolase;EC 3.2.2.5;NAD(+)

nucleosidase;T10;;ADPRC 1-rs1;ADPRC1;Cd38;Cd38-rs1;I-19

Species Mouse

Expression Host HEK293 Cells **Sequence** Leu45-Thr304

AccessionP56528Calculated Molecular Weight30.6 kDaObserved molecular weight38-47 kDaTagC-His

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per μg of the protein as determined by the LAL method.

Storage Store at $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles.


Shipping This product is provided as liquid. It is shipped at frozen temperature with blue

ice/gel packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 μm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0.

Reconstitution Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

CD38, also known as ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1, is a Signal-anchor for type II membrane protein. CD38 is able to transform NAD+ to ADP-D-ribose and nicotinamide. It also can transform NADP+ to nicotinate-adenine dinucleotide phosphate and nicotinamide. CD38 is expressed at high levels in pancreas, liver, kidney, brain, testis, ovary, placenta, malignant lymphoma and neuroblastoma. Synthesizes the second messagers cyclic ADP-ribose and nicotinate-adenine dinucleotide phosphate, the former a second messenger for glucose-induced insulin secretion. Also has cADPr hydrolase activity. Also moonlights as a receptor in cells of the immune system.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>