
ZFAND5 Polyclonal Antibody

Catalog Number: E-AB-18321




Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description	
Reactivity	Human, Mouse, Rat
Immunogen	Full length fusion protein
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
Formulation	PBS with 0.05% NaN3 and 40% Glycerol,pH7.4
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:25-1:100
ELISA	1:5000-1:10000
Data	



Western blot analysis of Mouse fat tissue lysate using ZFAND5 Polyclonal Antibody at dilution of 1:500 **Observed Mw:Refer to figures**

Calculated Mw:23 kDa





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using ZFAND5 Polyclonal Antibody at dilution of 1:35(×200)

Preparation & Storage

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Background

Involved in protein degradation via the ubiquitin-proteasome system. May act by anchoring ubiquitinated proteins to the

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

ZFAND5 Polyclonal Antibody

Catalog Number:E-AB-18321



proteasome. Plays a role in ubiquitin-mediated protein degradation during muscle atrophy. Plays a role in the regulation of NF-kappa-B activation and apoptosis. Inhibits NF-kappa-B activation triggered by overexpression of RIPK1 and TRAF6 but not of RELA. Inhibits also tumor necrosis factor (TNF), IL-1 and TLR4-induced NF-kappa-B activation in a dose-dependent manner. Overexpression sensitizes cells to TNF-induced apoptosis. Is a potent inhibitory factor for osteoclast differentiation.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com