# **KCTD16 Polyclonal Antibody**

Catalog Number: E-AB-18364



Note: Centrifuge before opening to ensure complete recovery of vial contents.

# Description

**Reactivity** Human, Mouse

**Immunogen** Fusion protein of human KCTD16

Host Rabbit
Isotype IgG

**Purification** Antigen affinity purification


Conjugation Unconjugated

**Formulation** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

### **Applications** Recommended Dilution


WB 1:500-1:2000 IHC 1:25-1:100 ELISA 1:5000-1:10000

#### Data



Western blot analysis of Human cerebrum tissue rat brain tissue and Mouse brain tissue using KCTD16 Polyclonal Antibody at dilution of 1:350

Observed Mw:Refer to figures Calculated Mw:49 kDa



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using KCTD16 Polyclonal Antibody at dilution of 1:25(×200)

# **Preparation & Storage**

Storage Store at -20°C. Avoid freeze / thaw cycles.

# **Background**

The BTB (Broad-Complex, Tramtrack and Bric a brac) domain, also known as the POZ (Poxvirus and Zinc finger) domain, is an N-terminal homodimerization domain that contains multiple copies of kelch repeats and/or C2H2-type zinc fingers. Proteins that contain BTB domains are thought to be involved in transcriptional regulation via control of chromatin structure and function. KCTD16 (potassium channel tetramerisation domain containing 16), also known as BTB/POZ domain-containing protein KCTD16, is a 428 amino acid protein that contains one BTB (POZ) domain. An auxiliary subunit of GABAB R1 and GABAB R2, KCTD16 increases agonist potency and alters the G-protein signaling of the receptors by accelerating onset and promoting desensitization.

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com