BLNK Polyclonal Antibody

Catalog Number: E-AB-18540



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human, Mouse, Rat
Immunogen	Fusion protein of human BLNK
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
Formulation	PBS with 0.05% NaN3 and 40% Glycerol,pH7.4
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:40-1:200
ELISA	1:5000-1:10000
Data	





Western blot analysis of LOVO cell lysate using BLNK Polyclonal Antibody at dilution of 1:600 **Observed Mw:Refer to figures** Calculated Mw:50 kDa Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using BLNK Polyclonal Antibody at dilution of 1:40(×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using BLNK Polyclonal Antibody at dilution of 1:40(×200)

Preparation & Storage

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Background

This gene encodes a cytoplasmic linker or adaptor protein that plays a critical role in B cell development. This protein

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

BLNK Polyclonal Antibody

Catalog Number: E-AB-18540



bridges B cell receptor-associated kinase activation with downstream signaling pathways, thereby affecting various biological functions. The phosphorylation of five tyrosine residues is necessary for this protein to nucleate distinct signaling effectors following B cell receptor activation. Mutations in this gene cause hypoglobulinemia and absent B cells, a disease in which the pro- to pre-B-cell transition is developmentally blocked. Deficiency in this protein has also been shown in some cases of pre-B acute lymphoblastic leukemia.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com