
UBXN1 Polyclonal Antibody

Catalog Number: E-AB-18676




Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description	
Reactivity	Human, Mouse, Rat
Immunogen	Full length fusion protein
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
Formulation	PBS with 0.05% NaN3 and 40% Glycerol,pH7.4
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:40-1:200
ELISA	1:5000-1:10000
Data	



Western blot analysis of Mouse brain tissue Hela and HEPG2 cell lysates using UBXN1 Polyclonal Antibody at dilution of 1:500 Observed Mw:Refer to figures Calculated Mw:33 kDa



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using UBXN1 Polyclonal Antibody at dilution of 1:35(×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using UBXN1 Polyclonal Antibody at dilution of 1:35(×200)

Preparation & Storage

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Background

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Web: <u>www.elabscience.com</u> Tel: 1-832-243-6086 Email: <u>techsupport@elabscience.com</u>

UBXN1 Polyclonal Antibody

Catalog Number: E-AB-18676



Ubiquitin-binding protein that interacts with the BRCA1-BARD1 heterodimer, and regulates its activity. Specifically binds 'Lys-6'-linked polyubiquitin chains. Interaction with autoubiquitinated BRCA1, leads to inhibit the E3 ubiquitin-protein ligase activity of the BRCA1-BARD1 heterodimer. Component of a complex required to couple deglycosylation and proteasome-mediated degradation of misfolded proteins in the endoplasmic reticulum that are retrotranslocated in the cytosol.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com