Phospho-P53 (Ser46) Polyclonal Antibody

Catalog Number: E-AB-20955



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human, Monkey

Immunogen Synthesized peptide derived from human p53 around the phosphorylation site of

Ser46

Host Rabbit Isotype IgG

Purification Affinity purification

Conjugation Unconjugated

Formulation PBS with 0.02% sodium azide, 0.5% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution

WB 1:500-1:2000 ELISA 1:5000

Data



Western Blot analysis of 293 cells with Phospho-p53 (Ser46) Polyclonal Antibody at dilution of 1:1000

Observed Mw:44kDa Calculated Mw:44kDa

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

Acts as a tumor suppressor in many tumor types; induces growth arrest or apoptosis depending on the physiological circumstances and cell type. Involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. One of the activated genes is an inhibitor of cyclin-dependent kinases. Apoptosis induction seems to be mediated either by stimulation of BAX and FAS antigen expression, or by repression of Bcl-2 expression. Implicated in Notch signaling cross-over. Isoform 2 enhances the transactivation activity of isoform 1 from some but not all TP53-inducible promoters. Isoform 4 suppresses transactivation activity and impairs growth suppression mediated by isoform 1. Isoform 7 inhibits isoform 1-mediated apoptosis.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>