



A Reliable Research Partner in Life Science and Medicine

Phospho-FADD (Ser191) Polyclonal Antibody

Catalog No. E-AB-21249

Note: Centrifuge before opening to ensure complete recovery of vial contents.

		4 •	
LIACO	\mathbf{r} T \mathbf{m}		m
Desc	\mathbf{r}		,,,,

Reactivity Mouse

Immunogen Synthesized peptide derived from human FADD around the phosphorylation site of

Ser191

Host Rabbit Isotype IgG

Purification Affinity purification
Conjugation Unconjugated

Buffer PBS with 0.02% sodium azide, 0.5% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:5000

Data



Western Blot analysis of Jurkat cells with Phospho-FADD (Ser191) Polyclonal Antibody

> Observed Mw:25kDa Calculated Mw:23kDa

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

The protein encoded by this gene is an adaptor molecule that interacts with various cell surface receptors and mediates cell apoptotic signals. Through its C-terminal death domain, this protein can be recruited by TNFRSF6/Fas-receptor, tumor necrosis factor receptor, TNFRSF25, and TNFSF10/TRAIL-receptor, and thus it participates in the death signaling initiated by these receptors. Interaction of this protein with the receptors unmasks the N-terminal effector domain of this protein, which allows it to recruit caspase-8, and thereby activate the cysteine protease cascade. Knockout studies in mice also suggest the importance of this protein in early T cell development.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>