## **EPHB3** Polyclonal Antibody


Catalog Number: E-AB-12754



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description  |   |
|--------------|---|
| Reactivity   | Human,Mouse   |
| Immunogen    | Synthetic peptide of human EPHB3                    |
| Host         | Rabbit  |
| Isotype      | IgG   |
| Purification | Affinity purification                               |
| Conjugation  | Unconjugated  |
| Formulation  | PBS with 0.05% sodium azide and 50% glycerol, PH7.4 |
| Applications | Recommended Dilution                                |
| ІНС          | 1:50-1:200  |
| Data         |   |

Data



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using EPHB3 Polyclonal Antibody at dilution 1:40



Immunohistochemistry of paraffin-embedded Human brain tissue using EPHB3 Polyclonal Antibody at dilution 1:40

## Preparation & Storage

Storage

Store at -20°C. Avoid freeze / thaw cycles.

## Background

Ephrin receptors and their ligands, the ephrins, mediate numerous developmental processes, particularly in the nervous system. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. The Eph family of receptors are divided into two groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Ephrin receptors make up the largest subgroup of the receptor tyrosine kinase (RTK) family. This gene encodes a receptor for ephrin-B family members.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine
Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com Email: techsupport@elabscience.com