# **SSTR1 Polyclonal Antibody**

Catalog Number: E-AB-12885



Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

**Reactivity** Human, Mouse, Rat

**Immunogen** Synthetic peptide of human SSTR1

Host Rabbit
Isotype IgG


Purification Affinity purification
Conjugation Unconjugated

**Formulation** PBS with 0.05% sodium azide and 50% glycerol, PH7.4


**Applications** Recommended Dilution

IHC 1:50-1:200

### Data



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using SSTR1 Polyclonal Antibody at dilution 1:50



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using SSTR1 Polyclonal Antibody at dilution 1:50

## **Preparation & Storage**

**Storage** Store at -20°C. Avoid freeze / thaw cycles.

### **Background**

Somatostatins are peptide hormones that regulate diverse cellular functions such as neurotransmission, cell proliferation, and endocrine signaling as well as inhibiting the release of many hormones and other secretory proteins. Somatostatin has two active forms of 14 and 28 amino acids. The biological effects of somatostatins are mediated by a family of G-protein coupled somatostatin receptors that are expressed in a tissue-specific manner. The protein encoded by this gene is a member of the superfamily of somatostatin receptors having seven transmembrane segments. Somatostatin receptors form homodimers and heterodimers with other members of the superfamily as well as with other G-protein coupled receptors and receptor tyrosine kinases. This somatostatin receptor has greater affinity for somatostatin-14 than -28.

#### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com