

MAD2L1BP Polyclonal Antibody

Catalog No. E-AB-14202

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human
Immunogen	Recombinant protein of human MAD2L1BP
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Buffer	PBS with 0.05% sodium azide and 50% glycerol, PH7.4


Applications Recommended Dilution

WB	1:500-1:2000
IHC	1:50-1:200


Data



Western Blot analysis of A549, 231, PC3 and HeLa cell using MAD2L1BP Polyclonal Antibody at dilution of 1:675
Calculated Mw:31kDa



Immunohistochemistry of paraffin-embedded Human cervical cancer using MAD2L1BP Polyclonal Antibody at dilution of 1:65



Immunohistochemistry of paraffin-embedded Human prostate cancer using MAD2L1BP Polyclonal Antibody at dilution of 1:65

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

For Research Use Only

Background

The protein encoded by this gene was identified as a binding protein of the MAD2 mitotic arrest deficient-like 1 (MAD2/MAD2L1). MAD2 is a key component of the spindle checkpoint that delays the onset of anaphase until all the kinetochores are attached to the spindle. This protein may interact with the spindle checkpoint and coordinate cell cycle events in late mitosis. Alternatively spliced transcript variants encoding distinct isoforms have been observed.

For Research Use Only