
## E-Selectin Polyclonal Antibody

Catalog No. E-AB-14325


Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description  |   |
|--------------|---|
| Reactivity   | Human   |
| Immunogen    | Recombinant protein of human SELE                   |
| Host         | Rabbit  |
| Isotype      | IgG   |
| Purification | Affinity purification                               |
| Conjugation  | Unconjugated  |
| Buffer       | PBS with 0.05% sodium azide and 50% glycerol, PH7.4 |
| Applications | Recommended Dilution                                |
| ІНС          | 1:50-1:200  |
| Data         |   |

## Data



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using E-Selectin Polyclonal Antibody at dilution of 1:30



Immunohistochemistry of paraffin-embedded Human lung cancer using E-Selectin Polyclonal Antibody at dilution of 1:30

## **Preparation & Storage**

Storage

Store at -20°C. Avoid freeze / thaw cycles.

## Background

The protein encoded by this gene is found in cytokine-stimulated endothelial cells and is thought to be responsible for the accumulation of blood leukocytes at sites of inflammation by mediating the adhesion of cells to the vascular lining. It exhibits structural features such as the presence of lectin- and EGF-like domains followed by short consensus repeat (SCR) domains that contain 6 conserved cysteine residues. These proteins are part of the selectin family of cell adhesion molecules. Adhesion molecules participate in the interaction between leukocytes and the endothelium and appear to be involved in the pathogenesis of atherosclerosis.

For Research Use Only