

Recombinant Human MAP4K2/GC Kinase Protein (His & GST Tag)

Catalog No. PKSH030347

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Synonyms	BL44;GCK;MAP4K2;RAB8IP
Species	Human
Expression Host	Baculovirus-Insect Cells
Sequence	Met 1-Tyr 812
Accession	AAH47865.1
Calculated Molecular Weight	119 kDa
Observed molecular weight	116 kDa
Tag	N-His-GST
Bioactivity	Not validated for activity

Properties

Purity	> 87 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < -20°C.
Formulation	Supplied as sterile solution of 50mM Tris, 100mM NaCl, pH 8.0
Reconstitution	Not Applicable

Data



> 87 % as determined by reducing SDS-PAGE.

Background

Mitogen-activated protein kinase kinase kinase kinase 2, also known as B lymphocyte serine/threonine-protein kinase, Germinal center kinase, MAPK/ERK kinase kinase kinase 2, MEK kinase kinase 2, Rab8-interacting protein and MAP4K2, is a cytoplasm and peripheral membrane protein which belongs to the protein kinase superfamily, STE Ser/Thr protein kinase family and STE20 subfamily. MAP4K2 contains one CNH domain and one protein kinase domain. Although this kinase is found in many tissues, its expression in lymphoid follicles is restricted to the cells of germinal centre, where it may participate in B-cell differentiation. MAP4K2 can be activated by TNF-alpha, and has been shown to

For Research Use Only

specifically activate MAP kinases. It is also found to interact with TNF receptor-associated factor 2 (TRAF2), which is involved in the activation of MAP3K1 / MEKK1. MAP4K2 enhances MAP3K1 oligomerization, which may relieve amino-terminal mediated MAP3K1 autoinhibition and lead to activation following autophosphorylation. It may also play a role in the regulation of vesicle targeting or fusion.