## Recombinant Human c-Yes/YES1 Protein (His & GST Tag)

Catalog Number:PKSH030348



Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

**Synonyms** c-yes;HsT441;P61-YES;Yes

Species Human

**Expression Host** Baculovirus-Insect Cells

SequenceGly 2-Leu 543AccessionNP\_005424.1Calculated Molecular Weight88.5 kDaObserved molecular weight75 kDaTagN-His-GST

**Bioactivity** The specific activity was determined to be 35 nmol/min/mg using Poly(Glu, Tyr)

4:1 as substrate.

#### **Properties**

**Purity** > 80 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Storage Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.

**Shipping** This product is provided as liquid. It is shipped at frozen temperature with blue


ice/gel packs. Upon receipt, store it immediately at < - 20°C.

**Formulation** Supplied as sterile solution of 20mM Tris, 500mM NaCl, 10% glycerol, 0.5mM

TCEP, pH 8.0

**Reconstitution** Not Applicable

#### Data



> 80 % as determined by reducing SDS-PAGE.

### **Background**

Proto-oncogene tyrosine-protein kinase Yes, also known as Proto-oncogene c-Yes, p61-Yes and YES1, is a cytoplasm protein which belongs to the protein kinase superfamily, Tyr protein kinase family and SRC subfamily. YES1 / c-Yes contains one protein kinase domain, one SH2 domain and one SH3 domain. It is thought that the subcellular distribution of Src-family tyrosine kinases, including c-Yes binding to the cellular membrane, is membranous and/or cytoplasmic. YES1 / c-Yes protein tyrosine kinase is known to be related to malignant transformation. YES1 / c-Yes and c-Src are the two most closely related members of the Src family of nonreceptor tyrosine kinases. Although there is much evidence to support redundancy in signaling between these two kinases. YES1 / c-Yes promotes formation of the tight junction by phosphorylating occludin, while c-Src signaling downregulates occludin formation in a Raf-1 dependent manner. YES1 / c-Yes has tyrosine kinase activity. It promotes infectivity of Neisseria gonorrhoeae in epithelial cells by phosphorylating

#### For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: <u>www.elabscience.com</u> Email: <u>techsupport@elabscience.com</u>

# Recombinant Human c-Yes/YES1 Protein (His & GST Tag)

Catalog Number:PKSH030348



MCP / CD46.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017