A Reliable Research Partner in Life Science and Medicine

# **Recombinant Human Neurotensin Protein (Fc Tag)**

Catalog No. PKSH030549

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Synonyms NMN-125;NN;NT;NT/N;NTS1

Species Human

Expression Host HEK293 Cells
Sequence Met 1-Leu148
Accession NP\_006174.1
Calculated Molecular Weight 41.0 kDa
Tag C-hFc

**Bioactivity** Not validated for activity

### **Properties**

**Purity** > 85 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 85 % as determined by reducing SDS-PAGE.

## **Background**

DPEP2 (MBD-2) belongs to the membrane-bound dipeptidase family. There are three members of this family as membrane-bound dipeptidase-1 (MBD-1),membrane-bound dipeptidase-2 (MBD-2) and membrane-bound dipeptidase-3 (MBD-3).MBD-2 is expressed at highest levels in lung, heart, and testis and at some what lower levels in spleen.MBD-2 is

### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com

## **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

membrane-bound through a glycosylphosphatidyl-inositol linkage and probably is a metalloprotease which hydrolyzes leukotriene D4 (LTD4) into leukotriene E4 (LTE4).It is generally recognized that rapid cleavage of LTD4 is important in inactivating the broncho-and vaso-constrictive effects of cysteinyl LTs in asthmatic and inflammatory processes.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com