A Reliable Research Partner in Life Science and Medicine

## **Recombinant Human CNPY4 Protein (His Tag)**

Catalog No. PKSH030652

*Note:* Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

SynonymsPRAT4BSpeciesHuman

Expression Host

Sequence

Met 1-Leu248

Accession

Q8N129

Calculated Molecular Weight

Observed molecular weight

Tag

HEK293 Cells

248

27.4 kDa

32 kDa

C-His

**Bioactivity** Not validated for activity

### **Properties**

**Purity** > 85 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

#### Data



> 85 % as determined by reducing SDS-PAGE.

### **Background**

CNPY4 belongs to the canopy family. CNPY4 interacts with toll-like receptor 4 (TLR4) and plays a role in the regulation of the cell surface expression of TLR4. Toll-like receptors (TLRs) recognize microbial products and induce immune

#### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com

# **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

responses. Lipopolysaccharide is recognized by the receptor complex consisting of TLR4 and MD-2. As CNPY4, PRAT4B also regulates cell surface expression of TLR4. PRAT4B has a signal peptide followed by a mature peptide. It is associated with the hypoglycosylated, immature form of TLR4 but not with MD-2 or TLR2.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email: techsupport@elabscience.com

Web: www.elabscience.com